



KENEX™ LEGACY


HOMOGENEOUS VINYL





PRODUCT STRUCTURE DIAGRAM

- ① PUR special maintenance treatment
- ② Compacted homogeneous floor covering



BETTER INDOOR AIR QUALITY



INDOOR AIR QUALITY

- Lower emissions
- CE certificated



REACH

COMPOSITION

- REACH certificated
- No formaldehyde
- No heavy metals
- No DOP



RECYCLABLE

- The product is 100% recyclable
- Enviromentally friendly




HEALTH

- Anti-bacterial
- Excellent anti – slip performance
- Comfortable underfoot feeling and excellent acoustic performance

KENEX™
LEOARC
HOMOGENEOUS VINYL

KENEX™ LEGACY

HOMOGENEOUS NON-DIRECTIONAL

 Size: 2.0mm x 2m x 20m



KN-7601

Powell



KN-7602

Crystal Ice



KN-7603

Moon Dust



KN-7604

Grey Brown



KN-7605

Mocha



KN-7606

Dark Khaki




KN-7607

Ultimate Gray



KN-7608

Poppy Seed




KN-7609

Burnt Sienna



KN-7610


Inkwell



KN-7611 Misty Rose



KN-7612 Floral White



KN-7613 Dusty Pink



KN-7614 Rosy Brown



KN-7615 Perlweiss



KN-7616 Warm Sand




KN-7617 Coca Mocha



KN-7618 Medium Tan




KN-7619 Solar Power




KN-7620 Rose Quartz




KN-7621 Bittersweet



KN-7622 Orange Ochre




KN-7623 Red Alert




KN-7624 Chili Pepper


KENEX™ LEGACY

HOMOGENEOUS NON-DIRECTIONAL


 Size:2.0mm x 2m x 20m



KN-7625 Turquoise



KN-7626 Jungle Green




KN-7627 Hippie




KN-7628 Calla Green




KN-7629 Pigeon Blue




KN-7630 Bougainvillea



KN-7631 Blue Yonder




KN-7632 Cerulean



KN-7633 Glacier Lake




KN-7634 Skydiver



KN-7635 Classic Blue


KENEX™ LEGACY

HOMOGENEOUS NON-DIRECTIONAL


 Size: 2.0mm x 2m x 20m




KN-7636 Pastel Skin



KN-7637 Pastel Earth



KN-7638 Pale Taupe




KN-7639 Chocolate




KN-7640 Champagne




KN-7641 Cashmere




KN-7642 Whisper




KN-7643 Arsenic



KN-7644 Canary




KN-7645 Tigerlily




KN-7646 Cornflower Blue




KN-7647 Pale Olive



KN-7648 Forest



KN-7649 Sapphire



KN-7650 Orchid



Kenex™ Legacy series offers 50 natural color options, fully inspire designers' creativity. Featuring an innovative coating technology, it delivers exceptional stain-resistant properties, requires no waxing, and ensures easy maintenance with enhanced durability. These qualities guarantee superior performance in demanding environments such as medical facilities, educational institutions, and senior care centers.



Stain Resistance



Scratch Resistance




Wear Resistance




Ultra Matte


KENEX™ LEGACY


HOMOGENEOUS VINYL


DESCRIPTION	STANDARD	UNIT	RESULT
Type of floor covering	ISO 10581 / EN 649	-	Homogeneous Vinyl Flooring
Total thickness	ISO 24346 / EN 428	mm	2
Width of sheet	ISO 24346 / EN 426	m	2
Length of sheet	ISO 24346 / EN 426	m	20
CLASSIFICATION			
European classification	ISO 10784 / EN 685	class	34-43
Reaction to fire	EN 13501 - 1	class	Bfl-s1
	GB 8624 - 2012	-	B1(B-s1,t0)
Toxic testing	GB 18586 - 2001	-	Qualified
Static electrical propensity	EN 1815	KV	≤2
Slip resistance	DIN 51130	class	R9
PERFORMANCES			
Type binder content	ISO 10581 / EN 649	type	I
Dimensional stability	ISO 23999 / EN 434	%	≤0.4
Residual indentation	ISO 24343-1 / EN 425	mm	≤0.1 (≈0.05)
Flexibility	ISO 24344 / EN 435	-	No Cracking
Thermal conductivity	ISO 10456 / EN 12524	W/(m.k)	≈0.25
Castor chair test	ISO 4918 / EN 425	-	OK
Colour fastness to light	ISO 105 - B02	degree	≥6
Chemical resistance	ISO 26987 / EN 423	-	Very good
Bacteria resistance	ISO 846 - 2019	-	Does not support growth
Surface treatment	MaxShield™		
Logistics information	<div><div>2mx20mx2.0mm</div><div>16 Rolls/Pallet</div><div>10Pallets/6400m²</div></div>		


ADVANTAGES


Eco-Friendly


Easy Maintenance

Super Wear-resistant

Anti-slip

Sound Absorbing

Anti-bacterial

Anti-iodine (customized)

APPLICATION

Healthcare

Education

Offices

Shopping Malls

Transportation

Factories

*Minumum order quantity : 500 SQM per decor

*The sample is only used as a reference for color selection. The color may slightly different from the actual samples.

*The above technical parameters are typical test results under laboratory standard test conditions.

*If you have special requirements for a certain technical parameter, please discuss the specific details with our company when ordering.

